SMALL OFF-ROAD EQUIPMENT FUEL TANK CERTIFICATION (APPLICABLE TO ENGINES/EQUIPMENT ≤ 80 cc) Certification Summary Sheet

Date Created: Date Modified:

 Model Year: 2a. Manufacturer: 2b. EPA Assigned Ma 	nufacturer Code:		3. Application Type: New4. Exhaust/Evaporative Family Name:5. Executive Order:				
2c) Manufacturer Conta Contact: Title:			2d) Production Plant Location/Contact Contact: Title:				
Company: Address: City, State, Zi	р		Company: Address: City, State, Zip				
Phone No.: Fax No.: Email:			Phone No.: Fax No.: Email:				
6. Confidential Information a) Projected California sales(units): b) Projected 50-State Sales (units): c) Introduction into commerce date:							
7. Exemptions a) Is this an exempt fuel tank under section 2766(a)?							
8. Test Information a) New Testing? e) If carry over/carry across, from evaporative family: b) Test Engine or Equipment Model: f) Test Equipment ID: Snabc12345 c) Test Fuel: g) Alternate Test Procedure approval number:							
9. Special Test Equip	ment	-					
No							
	11. Type		Official Fuel Tank Permeat	tion Test Results**			
10. Test No.	(Certification (CTG) or Confirmatory (RTG))	12. Test Completio Date	13. Certification n Test Result (gr/m²/day)	14. Fuel Tank Permeation Standard (gr/m²/day)			
** Permeation rates m	ust be reported to	o two signific	cant digits.	1			
15. Remarks:							

1

6/27/2013

Walk-Behind Lawnmower	Generator Set	Ice Auger	
Riding Mower	Snowblower	Commercial Turf	
Tractor	Non-Backpack Blower	Edger	
Compressor	Backpack Blower	Brushcutter	
Pump	Line Trimmer	Chainsaw	
Hedge Trimmer	Pressure Washer	Leaf Blower/Vacuum	
Stump Beater	Tiller	Go-Cart	
Other			

Supplementary Information

MODEL SUMMARY (Use an asterisk (*) to identify "worst-case" engine or equipment model used for certification testing.)

17. Worst	18. Engine or	19. Sales Codes (Check all appropriate)			20. Fuel	21. Fuel Tank	
Case	Equipment Model	Calif. Only	49- State 50-State		Tank Vol. (liters)	Internal Surf. Area (m²)	
]					

laterial:
reatment Type:
nique Properties:
n emission label format approved? No Yes If yes, reference approval: rel attached? No Yes (put label in #28)
: Fuel Tank emission warranty approved? No (Provide full warranty statement in #29)
Yes (Reference approval:) nanges been made since the last approval? No Yes If yes, provide an explanation
THEOREM ARE INFORMATION
ON EMISSION LABEL INFORMATION
IMPORTANT EMISSIONS INFORMATION ABC COMPANY THIS ENGINE MEETS 2007 CALIFORNIA EXH AND EVP EMISSION REGULATIONS FOR SMALL OFF-ROAD ENGINES EF: 7ABCS.0651XX DISPLACEMENT: 65 CC. DOM: JULY 2007 EMISSION CONTROL SYSTEM: EM SPARK PLUG GAP: .037041" NO OTHER ADJUSTMENTS NEEDED
Air Index Label The air index of this engine is 3 2 4 6 8 10 Dest Clean te: The lower the Air Index, the less pollution
s engine is certified to be emissions compliant for the following use: Moderate Intermediate Extended [](50 hours) [X](125 hours) [](300 hours) Check the owner's manual for further details.
rin in i

Field Data Sheet (Trip Blank Correction)

30. Tank Manufacturer:
31. Tank I.D:
32. Tested By:
33. Water Bath Test (pass/fail):
34. Tank Internal Surface Area (meter ²):
Full Total Date

Full Tank Data

35. Start Date	36. Start Time	37. End Date	38. End Time	39. Initial Weight <i>W_{if} (</i> grams)	40. Final Weight <i>W_{ff}</i> (grams)	41. Difference <i>D_f</i> (grams)	42. Weight Loss <i>WI</i> (grams)

 $WI = (W_{if} - D_f), D_f = (W_{ff} + D_e), D_e = (W_{ie} - W_{fe})$

Empty Tank Data

43. Start Date	44. Start Time	45. End Date	46. End Time	47. Initial Weight <i>W_{ie} (</i> grams)	48. Final Weight <i>W_{fe}</i> (grams)	49. Difference <i>D_e</i> (grams)	50. %RH	51. Baro. Pres.

Note: This process is repeated until the correlation coefficient (R²), from a plot of 10 consecutive 24 hour cycles, is 95% or greater (If 95 % or Greater PASS, if not FAIL). May include final correlation coefficient in item 52.

52. ADDITIONAL INFORMATION AND COMMENTS (for tanks soaked less than 140 days, submit fuel tank soak data, Figure 1 of TP-901 (Test Procedure for Determining Permeation Emission from Small Off-Road Engines and Equipment Fuel Tanks) and the calculated correlation coefficient. This applies to tanks that are soaked at non-elevated temperature (30 $^{\circ}$ C \pm 10 $^{\circ}$ C) for less than 140 days and tanks with a nom inal wall thickness of greater than 0.2" (5 mm) that are soaked at an elevated temperature (40 $^{\circ}$ C \pm 2 $^{\circ}$ C) for less than 140 days):

Summary of Certification: Followed TP-901 test procedures.

Correlation Coefficient (R2) determined from Field Data Sheet =

Evaporative Component Parts Summary Sheet (≤ 80 cc)

MODEL SUMMARY

18.	20a.
Engine or Equipment Model	Fuel Tank Part Number(s)
	l .